

Transdisciplinary Collaboration Project  
Selected Bibliography

Phyllis M. Connolly, Jody Hironka-Juteau, Anne MacRae & Jean M. Novak

Aguilera, D. C. (1998). Crisis intervention: Theory and methodology. (8th ed.). St. Louis: Mosby-Year Book.

Alt-White, A.C., Charns, M., and Strayer, R. (1983). Personal, organizational and managerial factors related to nurse-physician collaboration. Nursing Administration Quarterly, 8, 8-18.

American Nurses Association (1995). Nursing's social policy statement. Washington, DC: Author.

American Nurses Association. (1994). A statement on psychiatric-mental health clinical nursing practice and standards of psychiatric-mental health clinical nursing practice. Washington, DC: Author.

American Psychiatric Association. (1994). Diagnostic and statistical manual of mental disorders. (4th ed.) Washington, DC: Author.

American Therapeutic Recreation Association. (n.d.) Therapeutic recreation services (Brochure). Hattiesburg, MS: American Therapeutic Recreation Association.

Anchor, K. (Ed.) (1996). Disability analysis handbook: Tools for independent practice. Dubuque, IA: Kendall/Hunt Publishing.

Austin, A. & Baldwin, R. (1991). Faculty collaboration: Enhancing the quality of scholarship and teaching. ASHE-ERIC, Higher Education Report No. 7, Washington, DC: The George Washington University, School of Education and Human Development.

Backer, T., & Connolly, P. (1993). Third Annual Report of the CAMI 1278 Task Force on Families and Mental Illness, June, 1993, (Contract #92-72259) Sacramento, CA: CAMI.

Baggs, J.G. (1989). Intensive care unit use and collaboration between nurses and physicians. Heart and Lung, 18, 332-338.

Baggs, J.G. and Ryan, S.A. (1990) ICU nurse-physician collaboration & nursing satisfaction. Nursing Economics, 8, 386-392.

Baggs, J.G. and Ryan, S.A., Phelps, C.E., Richeson, F., and Johnson, J.E. (1992) The association between interdisciplinary collaboration and patient outcomes in a medical intensive care unit. Heart and Lung, 21, 18-24.

Bernheim, K. (1990). Promoting family involvement in community residences for chronic mentally ill persons. Hospital and Community Psychiatry, 4, 668-670.

Bondurant, A. (1994). State-University collaboration awards. Hospital and Community Psychiatry, 45, 1137-1138.

Brekke, J.S., Long, J.D., Nesbitt, N., & Sobel, E. (1997). The impact of service characteristics on functional outcomes from community support programs for persons with schizophrenia: A growth curve analysis. Journal of Consulting and Clinical Psychology, 65, 464-475.

Brooker, C. G. D. (1985). A study to compare two models of community psychiatric nursing care delivery. Journal of Advanced Nursing, 10, 217-223.

Brooker, C., & Simmons, S.M. (1990). The health education needs of families caring for a schizophrenic relative and the potential role for community psychiatric nurses. Journal of Advanced Nursing, 15, 1092-1098.

Bruininks, R.H., Frenzel, M., and Kelly, A. (1994). Integrating services: The case for better links in schools. Journal of School Health, 64, 242-248.

Buccheri, R., Trygstad, L., Kanas, N., Waldron, B., & Dowling, G. (1996). Auditory hallucinations in schizophrenia: Group experience in examining symptom management and behavioral strategies. Journal of Psychosocial Nursing, 34(2), 12-25.

Buchanan, C., Huffman, C., & Barbour, V. (1994). Smoking health risk counseling of psychiatric patients. Journal of Psychosocial Nursing, 32(1), 27-32.

Campinha-Bacote, J. (1994). Transcultural psychiatric nursing: Diagnostic and treatment issues. Journal of Psychosocial Nursing, 32(8), 41-46.

Carter, M.J., Van Andel, G.E. and Robb, G.M. (1995). Therapeutic recreation: A practical approach, 2nd Edition. Prospect Heights: Waveland Press.

Cerne, F. (1993). Joining forces: Maine hospitals find that cooperation brings results. Hospitals, 67, 26-27.

Chamberlin, J. (1995). Rehabilitating ourselves: The psychiatric survivor movement. International Journal of Mental Health, 24, 39-46.

Cinelli, B., Symons, C.W., Bechtel, L. and Rose-Colley, M. (1994). Applying cooperative learning in health education. Journal of School Health, 64, 99-102.

Coluccio, M., and Kelley, L. K. (1994). Transformational partnership for delivery of RN baccalaureate education: A service/education leadership model. Nursing Administration Quarterly, 18, 65-71.

Connolly, P. M. (1998). Omaha: Psychiatric home care case. [On – line], <http://con.ufl.edu/omaha/case19.htm>.

Connolly, P. (1997). Crisis therapy and intervention. In B. Johnson (ed.), Psychiatric mental health nursing, (4<sup>th</sup> ed.) ( pp.789 - 805) Philadelphia: Lippincott.

Connolly, P. M. (1995). Transdisciplinary collaboration of academia and practice in the area of serious mental illness. Australian and New Zealand Journal of Mental Health Nursing, 4, 168-180.

Connolly, P. M. (1992). What does a nurse need to know and do to maintain an effective level of case management. Journal of Psychosocial Nursing and Mental Health Services, 30(3), 35-39.

Connolly, P. M. (1991). Services for the underserved: A nurse-managed center for the chronically mentally ill: Journal of Psychosocial Nursing and Mental Health Services, 29(1), 15-20.

Connolly, P. M. (1989). The homeless chronically mentally ill: Strategies for improving education. Journal of Psychosocial Nursing and Mental Health Services, 27(6), 24-28.

Connolly, P. M., Huynh, M. T., & Gorney-Moreno, M. J. (1999, Winter). On the cutting edge or over the edge? Implementing the Nightingale Tracker. On-Line Journal of Nursing Informatics [On-Line], 3(1), Available: <http://cac.psu.edu/~dxm12/ojni.html>.

Connolly, P., & Vacarro, J. (1995). Fifth Annual Report of the CAMI 1278 Task Force on Families and Mental Illnesses: Reinventing the Task Force “First Year of the Task Force Consultation Groups,” June 1995 (Contract # 94-74213) Sacramento, CA: CAMI.

Connolly, P., & Vacarro, J. (1994). Fourth Annual Report of the CAMI 1278 Task Force on Families and Mental Illness, June 1994, (Contract # 93-73265 A-1) Sacramento, CA: CAMI.

Cooper, C. (1995). Patient suicide and assault: Their impact on psychiatric hospital staff. Journal of Psychosocial Nursing, 33(6), 26-29.

Cowley, S. (1994). Collaboration in health care: The education link. Health Visitor, 67, 13-15.

Coyle, C.P., Kinney, W.B., Riley, B., & Shank, J.W. (1991). Benefits of

therapeutic recreation: A consensus view. Ravensdale: Idyll Arbor, Inc.

Curran, C.R. (1995). Collaboration needed for creative, flexible solutions. Nursing Economics, 13, 66-67.

Donabedian, A. (1992). The role of outcomes in quality assessment and assurance: Quality Review Bulletin, November, 356-360.

Fagan, C.M. (1992). Collaboration between nurse and physicians: No longer a choice. Academic Medicine, 67, 295-303.

Felton, C., Stastney, P., Shern, D., Blanch, A., Donahue, S., Knight, E., & Brown, C. (1995). Consumers as peer specialists on intensive case management teams: Impact on client outcomes. Psychiatric Services, 46, 1037 – 1044.

Fisher, D. (1994). Health care reform based on an empowerment model of recovery by people with psychiatric disabilities. Hospital and Community Psychiatry, 45, 913 - 915.

Forchuk, C., Schofield, R., Martin, M., Sircelji, M., Woodcox, V., Jewell, J., Valledor, T., Overby, B., & Chan, L. (1998). Bridging the discharge process: Staff and client experiences over time. Journal of the American Psychiatric Nurses Association, 4, 128 – 133.

Forchuk, C., & Brown, B. (1989). Establishing a nurse-client relationship. Journal of Psychosocial Nursing and Mental Health Services, 27(2), 30-34.

Fox, J. (1993). The role of nursing in public policy reform. Journal of Psychosocial Nursing, 31(8), 9-12.

Gibbons, K.B., Salter, J.P., Pierce, L.L., and Govoni, A. L. (1995). A model of professional rehabilitation nursing practice. Rehabilitation Nursing, 20, 23-28.

Henry, V., Schmitz, K., Reif, LuA., and Rudie, P. (1992). Collaboration: Integrating practice and research in public health nursing. Public Health Nursing, 9, 218-222.

Haber, J., & Billings, C. (1995). Primary mental health care: A model for psychiatric-mental health nursing. Journal of the American Psychiatric Nurses Association, 1, 154 – 163.

Jeger, A. M., & Slotnick, R. S. (Eds.) (1982). Community mental health and behavioralBecology. New York: Plenum Press.

Keltner, N., & Folks, D. (1997). Psychotropic drugs (2<sup>nd</sup>. ed.). St. Louis: Mosby.

- Kim, S. (1998). Out of darkness. Reflections, 24(3), 8 – 13.
- MacGlip, D. (1991). A quality of life study of discharged long-term psychiatric patients. Journal of Advanced Nursing, 16, 1206-1215.
- Maglioss, R.L., Harrison, S.A., Robinson, H.J., & Jayaram, G. (1996). Occupational therapy task observation scale (OTTOS): A rapid method for rating task group function of psychiatric patients. American Journal of Occupational Therapy, 50, 380-385.
- Manderscheid, R., Sonnenschein, M. (Eds.) (1996). Mental health, United States (1996). Rockville, MD: U. S. Department of Health and Human Services.
- Marion, L. (1996). Nursing's vision for primary health care in the 21<sup>st</sup> century. Washington: American Nurses Association
- Martin, K., Scheet, N., & Stegman, M. R. (1993). Home health clients: Characteristics, outcomes of care, and nursing interventions. American Journal of Public Health, 83, 1730 – 1734.
- Martin, K., & Scheet, N. (1992a). The Omaha system: Applications for community health nursing. Philadelphia: Saunders.
- Martin, K., & Scheet, N. (1992b). The Omaha system: Pocket guide for community health nursing. Philadelphia: Saunders.
- Matteoli, R., Verhey, M., & Warda, M. (1994). Collaboration between families and university faculty: A partnership in education. Journal of Psychosocial Nursing and Mental Health Services, 32(10), 17-20.
- McEwen, M. (1994). Promoting interdisciplinary collaboration. Nursing and Health Care, 15, 304-307.
- McFarland, G., Wasli, E., & Gerety, E. (1997). Nursing diagnoses and process in psychiatric mental health nursing (3rd ed.). Philadelphia: J. B. Lippincott.
- Mechanic, D. (1986). The challenge of chronic mental illness: A retrospective and prospective view. Hospital and Community Psychiatry, 37, 891-901.
- Mechanic, D., And Aiken, L.H. (1982). A cooperative agenda for medicine and nursing. New England Journal of Medicine, 307, 747-750.
- Miccolo, M.A., and Spanier, A.H. (1993). Critical care management in the 1990s: Making collaborative practice work.. Critical Care Clinics, 9, 127-133.

Mindnich, D., & Hart, B. (1995). Linking hospital and community. Journal of Psychosocial Nursing, 33(1), 25 - 28.

Moller, M (1993). Relapse management in neurobiological disorder: The Moller–Murphy symptom management assessment tool. Archives of Psychiatric Nursing, 8(4), 226-235

Moller, M., & Murphy, M. (1997). The three R's rehabilitation program: A prevention approach for the management of relapse symptoms associated with psychiatric diagnoses. Psychiatric Rehabilitation Journal, 20(3), 42 - 56.

Moller, M., & Murphy, M. (1996). Recovering from psychosis: A wellness approach. Nine Mile Falls, WA: Psychiatric Rehabilitation Nurses, Inc.

Moller, M., & Murphy, M. (January, 1996). Simultaneous consumer/family education: Cost effectiveness. Current Approaches to Psychoses: Diagnosis and Management, 5, Princeton, NJ: Excerpta Medica, Inc.

Moller, M., & Wer, J. (1989). Simultaneous patient/family education regarding schizophrenia: The Nebraska model. Archives of Psychiatric Nursing, 3(6), 332-337.

Mosher, L. R., & Keith, S. J. (1980). Psychosocial treatment: Individual, group, family, and community support approaches. Schizophrenia Bulletin, 6, 10-41.

Murashima, S., Zewekh, J., Yamada, M., & Tagami, T. (1998). Around-The-Clock nursing care for the elderly in Japan. Image, 30(1), 37 – 41.

Murphy, M., Moller, M., & Billings, J. (1996). My symptom management workbook: A wellness expedition. Richfield, UT: Wellness Consultation & Education.

Murray, C. J. L., & Lopez, A. D. (Eds.) (1996). The global burden of disease. Cambridge, MA: Harvard University Press.

Nikkonen, M. (1995). The life situation of a long-term psychiatric patient: Some restrictions in, and possibilities of, open care. Journal of Advanced Nursing, 22, 101-109.

Novak, J.M. (1997). Clients with mental illness: the role of the speech pathologist. California Speech-Language-Hearing Association, 25(8), 17-20.

O'Connor, F. (1991). Symptom monitoring for relapse prevention in schizophrenia. Archives of Psychiatric Nursing, 5(4), 193-201.

Palmer-Erbs, V., Connolly, P., Bianchi, R., Hoff, L. (1996). Nursing perspectives on disability and rehabilitation. In K. Anchor (Ed.) Disability analysis handbook: Tools for independent practice. (pp. 173 - 201) Dubuque, Iowa: Kendall/Hunt.

Palmer-Erbs, V., & Anthony, W. (1995). Incorporating psychiatric rehabilitation principles into mental health nursing: An opportunity to develop a full partnership among nurses, consumers, and families. Journal of Psychosocial Nursing, 33(3), 36-44.

Parker, B. (1993). Living with mental illness: The family as caregiver. Journal of Psychosocial Nursing, 31(3), 19-21.

Pender, N. J. (1992). Partnerships: An alternative to rugged individualism. Nursing Outlook, 10, 248-249.

Perreault, M., Rogers, W., Leichner, P., Sabourin, S. (1996). Patients' requests and satisfaction with services in an outpatient psychiatric setting. Psychiatric Services, 47(3), 287-292.

Peternelj-Taylor, C., & Hartley, V. (1993). Living with mental illness: Professional/Family collaboration. Journal of Psychosocial Nursing, 31(3), 23 –28.

Peterson, C.A., & Gunn, S. (1984). Therapeutic recreation program design: Principles and procedures, 2nd Edition. Englewood Cliffs, NJ: Prentice-Hall.

Pickett, S., Lyons, J., Polonus, T., Seymour, T., & Miller, S. (1995). Factors predicting patients' satisfaction with managed mental health care. Psychiatric Services, 46(7), 722-723.

Plante, T. (1996). Getting physical : Does exercise help in the treatment of psychiatric disorders? Journal of Psychosocial Nursing, 34(3), 38-43.

Poster, E., & Ryan, J. (1994). A multiregional study of nurses' beliefs and attitudes about work safety and patient assault. Hospital and Community Psychiatry, 45(11), 1104-1108.

Rosenfield, P.L> (1992). The potential of transdisciplinary research for sustaining and extending linkages between the health and social sciences. Social Sciences Medicine, 35, 1343-1357.

Segal, S., Silverman, C., & Temkin, T. (1995). Measuring empowerment in client-run self-help agencies. Community Mental Health Journal 31, 215 –227.

Sherwood, G. (1994). Educational outreach in a rural underserved area. Nursing Connections, 7, 5-15.

Shore, W.B., and Saba, G.W. (1993). Towards a social policy for health. New England Journal of Medicine, 329, 1969.

Steadman H., & Barbera Steadman, S., & Dennis, D. (1994). A National survey of jail diversion programs for mentally ill detainees. . Hospital and Community Psychiatry, 45(11), 1109-1113.

Styles, M.M. (1984). Reflection on collaboration and unification. Image: Journal of Nursing Scholarship, 16, 21-23.

Sullivan, T. (1998). Collaboration: A health care imperative. New York: McGraw-Hill.

Townsend, M. (1995). Drug guide for psychiatric nursing (2<sup>nd</sup> ed.) . Philadelphia: F. A. Davis.

Trigoboff, E. (1996). Through patients' eyes: Medication teaching to reduce psychiatric recidivism. Capsules & Comments in Psychiatric Nursing, 3(1), 9-13.

U. S. Department of Health & Human Services (1997). The registered nurse population, March 1996. Rockville, MD: Author.

Wahl, O. (1997). Consumer experience of stigma: Results of a national survey. Washington , DC: George Mason University.

Walton, M. (1990). Deming management at work. New York: Putnam Publishing.

Warner, M., Ford-Gilboe, M., Laforet-Fliesser, Y., Olson, J., and Ward-Griffin, C. (1994). The teamwork project: A collaborative approach to learning to nurse families. Journal of Nursing Education, 33, 5-13.

Weiss, S.J. and Davis, H.P. (1985) Validity and reliability of the collaborative practice scales. Nursing Research, 34, 299-305.